## In the Claims:

- 1. (Currently Amended). A <u>combination of nucleic acids composition</u> of <u>matter consisting of comprising a first nucleic acid having a nucleotide</u> <u>sequence of SEQ ID NO.</u> 2 and <u>a second nucleic acid having a nucleotide</u> sequence of SEQ ID NO. 3.
- 2. (Currently Amended). A <u>combination of nucleic acids composition</u> of matter for detecting a target sequence comprising a first nucleic acid comprising <u>having a nucleotide sequence of SEQ ID NO.</u> 2, a second nucleic acid comprising <u>having a nucleotide sequence of SEQ ID NO.</u> 3, and a third nucleic acid <u>having a nucleotide sequence</u> selected from the group consisting of SEQ ID NO. 4 and SEQ ID NO. 5.
- 3. (Currently Amended). A method of amplifying a ß2 adrenergic receptor target sequence comprising the steps of:
- (a) forming a reaction mixture comprising nucleic acid amplification reagents, the combination of nucleic acids composition of matter of claim 1, and a test sample suspected of containing [a] the target sequence; and
- (b) subjecting the mixture to amplification conditions to generate at least one copy of the target sequence.
  - 4. (Currently Amended). A method for detecting a target sequence in a test sample comprising the steps of:
  - (a) forming a reaction mixture comprising nucleic acid amplification reagents, the <u>combination of nucleic acids of claim 1 composition of matter of claim 1</u>, and a test sample suspected of containing a target sequence;
  - (b) subjecting the mixture to amplification conditions to generate an amplification product;

- (c) hybridizing a probe <u>having a nucleotide sequence</u> selected from the group consisting of SEQ ID NO. 4 and SEQ ID NO. 5 to the amplification product to form a hybrid; and
- (d) detecting the hybrid as an indication of the presence of the target sequence in the test sample.
- 5. (Currently Amended). A kit for amplifying a β2 adrenergic receptor target sequence comprising:
- (a) <u>a first nucleic acid having a nucleotide sequence of SEQ ID NO.</u> 2 and <u>a second nucleic acid having a nucleotide sequence of SEQ ID NO.</u> 3; and
  - (b) amplification reagents.
  - 6. (Canceled).